

# STRETCHER TROLLEY




 **BMB  
MEDICAL**



**GREEN  
MEDICAL**

Medizintechnik J. Schmuck  
Furth 25 | A - 8755 St. Peter ob Judenburg  
+ 43 3579 21012 • [www.greenmedical.at](http://www.greenmedical.at)

A wide-angle photograph of a bright, modern hospital corridor. In the foreground, a patient bed with a grey mattress and metal frame is positioned. The bed has red wheels and side rails. To the left, there is a wooden reception desk with a plant on it. In the background, a glass-walled room is visible. The floor is light-colored and reflective.

Our primary objective is your *satisfaction*. Our *requirements* are as exacting as we would expect as a customer.

By supporting you from defining the product and throughout its life, we guarantee *high-performance* products, and a *responsive* and *high-quality service*.

We try, with humility, to *understand* your *use*, your *constraints* and to redefine the circuit of your patients to *improve* your *working conditions* and the *efficiency* of your *organization*.

We base our relationships on *shared trust*, making it our priority to be by your side for the *long term*.



# UNDERSTAND YOUR USE, YOUR CONSTRAINTS

## Variable bi-lateral height

Its high-quality hydraulic columns can withstand over 30,000 cycles. Its long lever arm reduces pushing effort: real comfort for staff.

## Hygienic mattress

Velcro-free, cleaning the mattress and hard surface is easy. The cover is resistant to decontaminants and the zipper is protected from liquids. From 8 to 15 cm (3 to 6 inches), it offers the patients comfort, even over a long period.

## Retractable handles

Their ergonomic shape make pushing easy and comfortable. Made from ultra-resistant plastic, they don't rust.

## Resistant barriers

Equipped with two rotation axes, they are 10 times more resistant than the standard. The side button positioned on the foot side is easily positioned for staff while remaining inaccessible to patients. They can be retracted under the sleeping surface, making transfers easy.

## Reinforced wheels

Each wheel supports a load of 220kg (485 lbs). The thick tire absorbs shocks and the rolling noise. They are waterproof as well as dust-proof. Compatible with all types of flooring, including tarmac.

## Corner protections

Its shape was specially studied to absorb impacts. Highly resistant, the part can also be removed and recycled. Three colors are available to differentiate stretchers between departments.

## Lowering, Trendelenburg and Reverse Trendelenburg positions

Positions are operated with the foot, on each side of the stretcher: easy to access, even with sterile, dirty or occupied hands. The pedals are placed ergonomically, at an easy height for each user.


## 5th guide wheel

Intuitive and easy to guide, the fifth wheel considerably reduces staff pushing efforts. Regardless of the weight, the stretcher is light and easy to handle.




# MOBILITY

*Our stretchers have been designed to make your daily life easier*




We understand that your time is precious. Each second counts. That is why our stretcher is so easy to use. Its fifth directional wheel makes it light and intuitive. Controlled by the same pedal as the other wheels, it can be set up without even having to think about it. Its reinforced wheels can adapt to any type of floor or obstacle. Its push bars perfectly fit the shape of your hands. **Improving your working conditions is one of our priorities.**

*Guaranteeing the **safety** of your patients*



Patient safety is not optional. The stability of our product is such that even when placed in the least favorable conditions, the stretcher does not tip over. In an emergency, the Trendelenburg or Reverse Trendelenburg or CPR (cardiopulmonary resuscitation) positions can be reached within seconds.





# RELIABILITY

*High-quality components,  
Long-term use,  
A reduced environmental footprint*



Our environmental awareness has led us towards an eco-friendly design. BMB MEDICAL is concerned about the ecological impact of its products at each stage of their life cycle. This commitment is reflected in actions in relation to packaging, the “4R” policy (reduce, replace, recycle, recover) and work on materials. Our products are designed in accordance with standard IEC60601-1-9, that defines the requirements for eco-friendly design.

Our products are tested on a testing bank with constraints that are significantly higher than those it will be subjected to in daily use. Our columns require no maintenance. Our sleeping surfaces are made from compact laminate, an extremely resistant and rot-proof material. Our corner protections are resistant to shocks and aging. Our barriers with two rotation axes are particularly robust. **Choosing BMB MEDICAL is a guarantee of quality but also offers significant savings on your maintenance budget.**

## CONTENTS

▶ CAREO

▶ CARUI

▶ CARUI KIDS

▶ I-CARE AMBULATORY

▶ I-CARE EMERGENCY

▶ I-CARE OPHTHALMOLOGY

▶ I-CARE MOTORISED

▶ PRELE



## HEIGHT-ADJUSTABLE STRETCHER TROLLEY CAREO

**Comfortable**

**Adaptable** many options available

**Easy to use,** variable height & trendelenburg

**Versatile,** adapted to different hospital services

CAREO is a patient trolley with height adjustment on hydraulic columns.

Easy to use and robust, CAREO is the perfect product for patient transportation.

Equipped with radio translucent material, adjustable back rest, Trendelenburg/Antitrendelenburg, CAREO is also suitable for emergency and operating rooms.



## CAREO DIMENSIONS

	LENGTH	WIDTH
OVERALL	205 cm	69 cm
VARIABLE HEIGHT	65 -100 cm (including 8cm thick mattress)	

**SAFE WORKING LOAD : 200 Kg**



**NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS**

Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

### Height-adjustable trolley stretcher

- 2-sectional mattress base: 60 x 190 cm
- Thermoformed ABS base
- Overall dimensions: 69 x 205 cm
- Height adjustment range: from 65 to 100 cm (including 8cm thick mattress)
- Trendelenburg / Anti-Trendelenburg +/-18°, hands free control
- Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm
- Removable cover. PVC coated Jersey. Colour : grey
- 2 holders for IV pole head-end
- Bumpers on all 4 corners
- Backrest adjustable by 2 gas springs (0 - 90°)
- Castors Ø 200 mm with central steering and braking system foot-end
- 2 directional wheels head-end
- Drop-down side rails, 2 horizontal bars. Anodized aluminium
- Fixed push bar foot-end
- Frame cover including O2 tank holder

### 2 holders for IV pole head-end



### Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm



### Castors Ø 200 mm with central steering and braking system foot-end



### Drop-down side rails, 2 horizontal bars. Anodized aluminium



### Frame cover including O2 tank holder




### Bumpers on all 4 corners



# ACCESSORIES



5th directional wheel  
CRO5E




Removable IV pole, 2-stage,  
2 hooks  
TSR2



Foldable push bars foot-end  
BPP



Foldable push bars  
head-end  
BPT



Vertical oxygen bottle holder-  
CROSO2




Paper roll dispenser at the  
head-end  
CROSP



Chart holder (for paperwork)  
below the headrest  
CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU



Comfort mattress  
CEOMM



Side rail padded  
cushions (pair)  
CROPB



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal:  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU

REFERENCE	DESIGNATION
<b>CRO5E</b>	5th directional wheel
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>BPP</b>	Foldable push bars foot-end
<b>BPT</b>	Foldable push bars head-end
<b>CROSO2</b>	Vertical oxygen bottle holder
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CEOMM</b>	Comfort mattress
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side







## HEIGHT-ADJUSTABLE STRETCHER TROLLEY CARVI

CARVI is a patient trolley with height adjustment on hydraulic columns.

Light, robust, and user-friendly, it is designed for patient transportation, emergency and PACU settings.

Various optional features are available to meet all your needs.



**Comfortable**

**Adaptable** many options available

**Easy to use,** variable height & trendelenburg

**Versatile,** adapted to different hospital services



## CARVI DIMENSIONS

	LENGTH	WIDTH
OVERALL	216 cm	69/79/89 cm
VARIABLE HEIGHT	62 -194 cm (including 8cm thick mattress)	

**SAFE WORKING LOAD : 250 Kg**



**NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS**


Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

### Height-adjustable stretcher trolley

- 2-sectional resin mattress base: 60 x 197 cm (CARVI 60), 70 x 197 cm (CARVI 70) or 80 x 197 cm (CARVI 80)
- Radiolucent material
- Height adjustment range: from 62 to 94 cm (including 8cm thick mattress)
- Trendelenburg - Anti-Trendelenburg 18°
- Two-sided height adjustment and Trendelenburg / Anti-Trendelenburg adjustment
- Removable mattress made of high quality and resilience foam (35kg/m<sup>3</sup>), height : 8 cm
- Removable cover. PVC coated Jersey. Colour : grey
- 6 holders for IV pole
- Bumpers on all 4 corners
- Backrest adjustable by 2 gas springs (0 - 90°)
- Castors with central braking system Ø 200 mm at foot-end
- 2 directional wheels at the head-end (without 5th directional wheel)
- Drop-down side rails, 2 horizontal bars. Anodized aluminium
- Foldable push bars at the foot-end 2 parts
- Frame cover including utility tray and O2 tank holder

6 holders for IV pole



Removable mattress made of high quality and resilience foam (35kg/m<sup>3</sup>), height : 8 cm



Castors with central braking system Ø 200 mm at foot-end



Foldable push bars at the foot-end 2 parts



Bumpers on all 4 corners

Frame cover including utility tray and O2 tank holder





## ACCESSORIES



5th directional wheel  
CRO5E



Reinforced castors (CRO5E  
necessary)  
CRORR




Anti-static system  
CLORA



Side rails 3 horizontal bars  
CROB3B



Bed panel instead of push bars  
MLOPL



TSR2, TSE2C, TSE4C




Foldable push bars head-end  
CROBPT



Foldable push bar  
foot-end 1 part  
CROBPP1



X-ray cassette below the patient surface  
(incompatible with CORBE + CRORJ + CORJE)  
CROK7



Electric backrest with  
manual release  
CORBE



Knee gatch & Electric backrest  
and knee gatch, manual release  
CRORJ & CORJE



Patient's remote control  
COTLC

REFERENCE	DESIGNATION
<b>CRO5E</b>	5th directional wheel
<b>CRORR</b>	Reinforced castors (CRO5E necessary)
<b>CLORA</b>	Anti-static system
<b>CROB3B</b>	Side rails 3 horizontal bars
<b>MLOPL</b>	Bed panel instead of push bars
<b>TSE2C</b>	Permanent, foldable 3-stage «comfort» IV pole, 2 hooks
<b>TSE4C</b>	Permanent, foldable 3-stage «comfort» IV pole, 4 hooks
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>CROBPT</b>	Foldable push bars head-end
<b>CROBPP1</b>	Foldable push bar foot-end 1 part
<b>CROK7</b>	X-ray cassette below the patient surface (incompatible with CORBE + CRORJ + CORJE)
<b>CORBE</b>	Electric backrest with manual release
<b>CORJE</b>	Electric backrest and knee gatch, manual release
<b>COBBA</b>	Battery
<b>COTLC</b>	Patient's remote control
<b>CRORJ</b>	Knee gatch
<b>CROSO2</b>	Vertical oxygen bottle holder
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CROPSC</b>	Monitor tray at the foot-end
<b>MC</b>	Comfort mattress, high quality foam (35kg/m3), height : 10cm
<b>MMC</b>	High Comfort mattress, high quality foam (35kg/m3), 2cm thick viscoelastic layer (total height : 12cm)
<b>EQUI</b>	Equipotential connection
<b>CRORT</b>	DIN rails
<b>ETU</b>	Fixation clamp for armrest (on technical rails, CRORT necessary)
<b>ETU-R</b>	Adjustable fixation clamp for armrest (on technical rails, CRORT necessary)
<b>GT</b>	Anatomic shaped armrest (ETU-R necessary)
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side

## ACCESSORIES



Vertical oxygen bottle holder  
CROSO2



Paper roll dispenser at the  
head-end  
CROSP



Chart holder (for paperwork)  
below the headrest  
CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU



Monitor tray at the foot-end  
CROPSC



Comfort mattress  
MC & MMC



Side rail padded cushions  
(pair)  
CROPB



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal:  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU







## HEIGHT-ADJUSTABLE STRETCHER TROLLEY **CARUI KIDS**

**Comfortable**

**Adaptable** many options available

**Easy to use,** variable height & trendelenburg

**Versatile,** adapted to different hospital pediatrics services

CARVI is a patient trolley with height adjustment on hydraulic columns.

CARVI KIDS complies, with its specific side rails and paediatric kit at head-end, with the requirements

from April, 26th 2010 of the French Medical Safety Agency ANSM with regard to children under 146 cm.


CARVI KIDS is designed to provide absolute safety while transporting children.

Light, robust, and user-friendly, it is designed for patient transportation, emergency and PACU settings. Various optional features are available to meet all your needs.

## CARUI KIDS DIMENSIONS

	LENGTH	WIDTH
OVERALL	200 cm	69 cm
VARIABLE HEIGHT	62-94 cm (including 8 cm thick mattress)	

**SAFE WORKING LOAD : 250 Kg**



**NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS**


Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

### Height-adjustable pediatric stretcher trolley

- 2-sectional resin mattress base: 60 x 185 cm
- Radiolucent material
- Height adjustment range: from 62 to 94 cm (including 8 cm thick mattress)
- Trendelenburg / Anti-Trendelenburg 18°
- Two-sided height adjustment and Trendelenburg / Anti-Trendelenburg adjustment
- Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm
- Removable cover. PVC coated Jersey. Colour : grey
- 6 holders for IV pole
- Bumpers on all 4 corners
- Backrest adjustable by 2 gas springs (0 - 90°)
- Castors with central braking system Ø 200 mm at foot-end
- 2 directional wheels at the head-end (without 5th directional wheel)
- Drop-down side rails, 2 horizontal bars. Anodized aluminium
- Foldable push bars at the foot-end (2 parts)
- Frame cover including utility tray and O2 tank holder

6 holders for IV pole



Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm



Castors with central braking system Ø 200 mm at foot-end



Foldable push bars at the foot-end (2 parts)

Frame cover including utility tray and O2 tank holder



Bumpers on all 4 corners



## ACCESSORIES



5th directional wheel  
CRO5E



Anti-static system  
CLORA



Side rails 3 horizontal bars  
CROB3B




Bed panel instead of push bars  
MLOPL



Polycarbonate paediatric side rails  
CKOBP



Paediatric kit head-end  
CKOKT



TSE2C, TSE4C, TSR2



Foldable push bars head-end  
(incompatible with CKOKT)  
CROBPT



Foldable push bar foot-end  
1 part  
CROBPP1



Paper roll dispenser at the  
head-end  
CROSP



Chart holder (for paperwork)  
below the headrest  
CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU

REFERENCE	DESIGNATION
<b>CRO5E</b>	5th directional wheel
<b>CLORA</b>	Anti-static system
<b>CROB3B</b>	Side rails 3 horizontal bars
<b>MLOPL</b>	Bed panel instead of push bars
<b>CKOBP</b>	Polycarbonate paediatric side rails
<b>CKOKT</b>	Paediatric kit head-end
<b>TSE2C</b>	Permanent, foldable 3-stage «comfort» IV pole, 2 hooks (incompatible with CKOKT)
<b>TSE4C</b>	Permanent, foldable 3-stage «comfort» IV pole, 4 hooks (incompatible with CKOKT)
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>CROBPT</b>	Foldable push bars head-end (incompatible with CKOKT)
<b>CROBPP1</b>	Foldable push bar foot-end 1 part
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CROPSC</b>	Monitor tray at the foot-end
<b>MC</b>	Comfort mattress, high quality foam (35kg/m3), height : 10cm
<b>EQUI</b>	Equipotential connection
<b>CKOCL</b>	Lateral protection cushion for paediatric side rails
<b>CKOCT</b>	Head protection cushion (CKOCL obligatory)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side



Monitor tray at the foot-end  
CROPSC



Comfort mattress, high quality  
foam (35kg/m3), height : 10cm  
MC



Lateral protection cushion for  
paediatric side rails & Head protection  
cushion (CKOCL obligatory)  
CKOCL & CKOCT



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm Fall protection side  
Compatible with standardized tray meal:  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU



## STRETCHER TROLLEY I-CARE AMBULATORY

I-CARE is a patient trolley with height adjustment on hydraulic columns.

Stable and robust, it is ideally designed to an intensive use.

Its features and its wide range of accessories make it especially suitable for Emergency, OR, PACU or ASC settings.



**Comfortable**

**Adaptable** many options available

**Easy to use,** variable height & trendelenburg

**Versatile,** adapted to different hospital services






# I-CARE AMBULATORY

## I-CARE AMBULATORY DIMENSIONS

	LENGTH	WIDTH
OVERALL	216 cm	69/79/89 cm
VARIABLE HEIGHT	64-96 cm (including 10 cm thick mattress)	

SAFE WORKING LOAD : 320 Kg



### NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

- Height-adjustable stretcher trolley
- 2-sectional resin mattress base: 60 x 197 cm, 70 x 197 cm or 80 x 197 cm
  - Radiolucent material
  - Overall dimensions: 69 x 216 cm, 79 x 216 cm or 89 x 216 cm
  - Height adjustment range : from 64 to 96 cm (with 10 cm thick mattress)
  - Trendelenburg / Anti-Trendelenburg 18°
  - Two-sided + foot or head-end height adjustment and Trendelenburg/Anti-Trendelenburg adjustment
  - Removable mattress made of high quality and resilience foam (35kg/m3), height : 10 cm
  - Removable cover. PVC coated Jersey. Colour : grey
  - 6 holders for IV pole
  - Bumpers on all 4 corners
  - Backrest adjustable by 2 gas springs (0 - 90°)
  - Castors with central braking system Ø 200 mm at foot- and head-end
  - 5th retractable directional wheel
  - Drop-down side rails. Anodized aluminium
  - Foldable push bars at the foot-end 2 parts
  - Frame cover (removable for easy cleaning and maintenance) including utility tray and O2 tank holder

6 holders for IV pole



Removable mattress made of high quality and resilience foam (35kg/m3), height : 10 cm



Castors with central braking system Ø 200 mm at foot- and head-end



Foldable push bars at the foot-end 2 parts

Frame cover (removable for easy cleaning and maintenance) including utility tray and O2 tank holder




Two-sided + foot or head-end height adjustment and Trendelenburg/ Anti-Trendelenburg adjustment

## ACCESSORIES



Anti-static system  
CLORA



TSR2, TSE2C, TSE4C



Foldable push bars head-end  
CROBPT



Foldable push bar foot-end  
1 part  
CROBPP1



X-ray cassette below the patient surface  
(incompatible with CORBE + CRORJ + CORJE)  
CROK7




Electric backrest with  
manual release  
CORBE



Knee gatch & Electric backrest and  
knee gatch, manual release  
CRORJ & CORJE



Patient's remote control  
COTLC



Vertical oxygen bottle holder  
CROSO2



Paper roll dispenser at the  
head-end  
CROSP



Chart holder (for paperwork)  
below the headrest  
CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU


REFERENCE	DESIGNATION
<b>CLORA</b>	Anti-static system
<b>TSE2C</b>	Permanent, foldable 3-stage «comfort» IV pole, 2 hooks
<b>TSE4C</b>	Permanent, foldable 3-stage «comfort» IV pole, 4 hooks
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>CROBPT</b>	Foldable push bars head-end
<b>CROBPP1</b>	Foldable push bar foot-end 1 part
<b>CROK7</b>	X-ray cassette below the patient surface (incompatible with CORBE + CRORJ + CORJE)
<b>CORBE</b>	Electric backrest with manual release
<b>CORJE</b>	Electric backrest and knee gatch, manual release
<b>COBBA</b>	Battery
<b>COTLC</b>	Patient's remote control
<b>CRORJ</b>	Knee gatch
<b>CROSO2</b>	Vertical oxygen bottle holder
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CROPSC</b>	Monitor tray at the foot-end
<b>MMM</b>	High Comfort mattress, high quality foam (35kg/m3), 2cm thick viscoelastic layer (total height : 12cm)
<b>EQUI</b>	Equipotential connection
<b>CRORT</b>	DIN rails
<b>ETU</b>	Fixation clamp for armrest (on technical rails, CRORT necessary)
<b>ETU-R</b>	Adjustable fixation clamp for armrest (on technical rails, CRORT necessary)
<b>GT</b>	Anatomic shaped armrest (ETU-R necessary)
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side



## ACCESSORIES



Monitor tray at the foot-end  
CROPSC



High Comfort mattress, high  
quality foam (35kg/m3), 2cm  
thick viscoelastic layer (total  
height : 12cm)  
MMM



Side rail padded  
cushions (pair)  
CROPB



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal:  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU







## STRETCHER TROLLEY I-CARE EMERGENCY

I-CARE is a patient trolley with height adjustment on hydraulic columns.

Stable and robust, it is ideally designed to an intensive use.

Its features and its wide range of accessories make it especially suitable for Emergency, OR, PACU or ASC settings.

**Comfortable**

**Adaptable** many options available

**Easy to use,** variable height & trendelenburg

**Versatile,** adapted to different hospital services





# I-CARE EMERGENCY

## I-CARE EMERGENCY DIMENSIONS

	LENGTH	WIDTH
OVERALL	216 cm	74/84 cm
VARIABLE HEIGHT	64-96 cm (with 10 cm thick mattress)	

**SAFE WORKING LOAD : 320 Kg**



### NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS


Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

### Height-adjustable stretcher trolley

- 2-sectional resin mattress base: 60 x 197 cm or 70 x 197 cm
- Radiolucent material
- Height adjustment range : from 64 to 96 cm (with 10 cm thick mattress)
- Trendelenburg / Anti-Trendelenburg 18°
- Two-sided + foot or head-end height adjustment and Trendelenburg / Anti-Trendelenburg adjustment
- Removable mattress made of high quality and resilience foam (35kg/m3), height : 10 cm
- Removable cover. PVC coated Jersey. Colour : grey
- 6 holders for IV pole
- Bumpers on all 4 corners.
- Backrest adjustable by 2 gas springs (0 - 90°)
- Castors with central braking system Ø 200 mm at foot- and head-end
- 5th retractable directional wheel
- Drop-down side rails. Anodized aluminium
- Foldable push bars at the foot-end 2 parts
- Frame cover (removable for easy cleaning and maintenance) including utility tray and O2 tank holder

### 6 holders for IV pole



### Removable mattress made of high quality and resilience foam (35kg/m3), height : 10 cm




### Castors with central braking system Ø 200 mm at foot- and head-end



### Foldable push bars at the foot-end 2 parts

### Frame cover (removable for easy cleaning and maintenance) including utility tray and O2 tank holder




### Two-sided + foot or head-end height adjustment and Trendelenburg / Anti-Trendelenburg adjustment

## ACCESSORIES



Anti-static system  
CLORA



TSR2, TSE2C, TSE4C



Foldable push bars head-end  
CROBPT



Foldable push bar foot-end  
1 part  
CROBPP1



X-ray cassette below the patient surface  
(incompatible with CORBE + CRORJ + CORJE)  
CROK7




Electric backrest with  
manual release  
CORBE



Knee gatch & Electric backrest and  
knee gatch, manual release  
CRORJ & CORJE



Patient's remote control  
COTLC



Vertical oxygen bottle holder  
CROSO2



Paper roll dispenser at the  
head-end  
CROSP



Chart holder (for paperwork)  
below the headrest  
CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU

REFERENCE	DESIGNATION
<b>CLORA</b>	Anti-static system
<b>TSE2C</b>	Permanent, foldable 3-stage «comfort» IV pole, 2 hooks
<b>TSE4C</b>	Permanent, foldable 3-stage «comfort» IV pole, 4 hooks
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>CROBPT</b>	Foldable push bars head-end
<b>CROBPP1</b>	Foldable push bar foot-end 1 part
<b>CROK7</b>	X-ray cassette below the patient surface (incompatible with CORBE + CRORJ + CORJE)
<b>CORBE</b>	Electric backrest with manual release
<b>CORJE</b>	Electric backrest and knee gatch, manual release
<b>COBBA</b>	Battery
<b>COTLC</b>	Patient's remote control
<b>CRORJ</b>	Knee gatch
<b>CRORT</b>	DIN rails
<b>ETU</b>	Fixation clamp for armrest (on technical rails, CRORT necessary)
<b>ETU-R</b>	Adjustable fixation clamp for armrest (on technical rails, CRORT necessary)
<b>GT</b>	Anatomic shaped armrest (ETU-R necessary)
<b>CROSO2</b>	Vertical oxygen bottle holder
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CROPSC</b>	Monitor tray at the foot-end
<b>MMM</b>	High Comfort mattress, high quality foam (35kg/m3), 2cm thick viscoelastic layer (total height : 12cm)
<b>EQUI</b>	Equipotential connection
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side



Monitor tray at the foot-end  
CROPSC



High Comfort mattress, high  
quality foam (35kg/m3), 2cm  
thick viscoelastic layer (total  
height : 12cm)  
MMM



Side rail padded  
cushions (pair)  
CROPB



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal :  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU





## STRETCHER TROLLEY I-CARE OPHTHALMOLOGY

**Comfortable**

**Adaptable** numerous options available

**Easy to use,** variable height & trendelenburg

**Versatile,** adapted to different hospital services

I-CARE is a patient trolley with height adjustment on hydraulic columns.

With its removable surgery headrests, the product is adapted to one day surgery.

I-CARE OPHT is for ophthalmic surgery, Stomatology, ENT, hand surgery...




# I-CARE OPHTHALMOLOGY

## I-CARE OPHTHALMOLOGY DIMENSIONS

	LENGTH	WIDTH
OVERALL	200 cm / 235 cm (with headrest)	74 cm
VARIABLE HEIGHT	64-96 cm (with 8 cm thick mattress)	

SAFE WORKING LOAD : 200 Kg



### NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

### Height-adjustable stretcher trolley

- 2-sectional resin mattress base : 70 x 197 cm.
- Radiolucent material
- Height adjustment range: from 64 to 96 cm (with 8 cm thick mattress)
- Trendelenburg / Anti-Trendelenburg 18°
- Bilateral foot-operated variable height control / Trendelenburg / brakes
- Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm
- Removable cover. PVC coated Jersey. Colour : grey
- Backrest adjustable by 2 gas springs (0 - 90°)
- Castors with central braking system Ø 200 mm at foot-end and head-end
- 5th retractable directional wheel
- Drop-down side rails. Anodized aluminium
- Foldable push bars at the foot-end 2 parts
- DIN rails
- Frame cover including utility tray and O2 tank holder

### 5th retractable directional wheel



### Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm



### Castors with central braking system Ø 200 mm at foot-end and head-end



### Foldable push bars at the foot-end 2 parts



### Frame cover including utility tray and O2 tank holder



### Bilateral foot-operated variable-height and trendelenburg foot control




## ACCESSORIES




Anti-static system  
CLORA



Articulated removable surgery  
head rest for ophthalmology  
+ hollow cushion  
LCA-OPH



Articulated removable surgery  
head rest for stomatology +  
flat cushion  
LCA-PLA



Removable surgery head rest  
for stomatology and ENT  
LCA-STO




Additional hollow cushion for arti-  
culated removable surgery  
headrest  
LCA-CC



Additional flat cushion for  
articulated removable surgery  
headrest  
LCA-CP



Head rest support. Fixation on  
technical rails  
LCA-SUP



Removable IV pole, 2-stage,  
2 hooks  
TSR2



Holder for operating field, with  
connection for oxygen  
FSC



Foldable push bar  
foot-end 1 part  
CROBPP1



Knee gatch  
CRORJ



Side rail padded  
cushions (pair)  
CROPB

REFERENCE	DESIGNATION
<b>CLORA</b>	Anti-static system
<b>LCA-OPH</b>	Articulated removable surgery head rest for ophthalmology + hollow cushion
<b>LCA-PLA</b>	Articulated removable surgery head rest for stomatology + flat cushion
<b>LCA-STO</b>	Removable surgery head rest for stomatology and ENT
<b>LCA-CC</b>	Additional hollow cushion for articulated removable surgery headrest
<b>LCA-CP</b>	Additional flat cushion for articulated removable surgery headrest
<b>LCA-SUP</b>	Head rest support. Fixation on technical rails
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>ETU</b>	Fixation clamp for armrest (on technical rails, CRORT necessary)
<b>ETU-R</b>	Adjustable fixation clamp for armrest (on technical rails, CRORT necessary)
<b>GT</b>	Anatomic shaped armrest (ETU-R necessary)
<b>FSC</b>	Holder for operating field, with connection for oxygen
<b>CROBPP1</b>	Foldable push bar foot-end 1 part
<b>CRORJ</b>	Knee gatch
<b>EQUI</b>	Equipotential connection
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal :  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU



## MOTORISED I-CARE EZ-GO EMERGENCY

I-CARE is a patient trolley with height adjustment on hydraulic columns.

Stable and robust, it is ideally designed to an intensive use.

Its features and its wide range of accessories make it especially suitable for Emergency, OR, PACU or ASC settings.

**Comfortable**

**Adaptable** many options available

**Easy to use,** motorised

**Versatile,** adapted to different hospital services






# I-CARE EZ-GO EMERGENCY

## I-CARE EZ-GO EMERGENCY DIMENSIONS

	LENGTH	WIDTH
OVERALL	216 cm	74/84 cm
VARIABLE HEIGHT	64-96 cm (including 10 cm thick mattress)	

SAFE WORKING LOAD : 320 Kg



NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS

Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

- Motorized stretcher
- Motorized drive system with autonomous wheel
  - Integrated battery. 15 km autonomy. Charge time: 5 hours. Lithium battery without memory effect
  - Forward/Backward twist grip with progressive speed acceleration (foot-end)
  - Push bars foot-end
  - 2-sectional resin mattress base: 60 x 197 cm or 70 x 197 cm
  - Radiolucent material
  - Height adjustment range : from 64 to 96 cm (with 10 cm thick mattress)
  - Trendelenburg / Anti-Trendelenburg 18°
  - Two-sided + foot or head-end height adjustment and Trendelenburg / Anti-Trendelenburg adjustment
  - Removable mattress made of high quality and resilience foam (35kg/m3), height : 10 cm
  - Removable cover. PVC coated Jersey. Colour : grey
  - 6 holders for IV pole
  - Bumpers on all 4 corners
  - Backrest adjustable by 2 gas springs (0 - 90°)
  - Castors with central braking system Ø 200 mm at foot- and head-end
  - 5th retractable and directional wheel (motorized wheel)
  - Antistatic system
  - Drop-down side rails. Anodized aluminium
  - Frame cover (removable for easy cleaning and maintenance) including utility tray and O2 tank holder

6 holders for IV pole



Castors with central braking system Ø 200 mm at foot- and head-end



Forward/Backward twist grip with progressive speed acceleration (foot-end)




Push bars foot-end

Motorized drive system with autonomous wheel



Two-sided + foot or head-end height adjustment and Trendelenburg / Anti-Trendelenburg adjustment

## ACCESSORIES



TSR2, TSE2C, TSE4C



Foldable push bars head-end  
CROBPT




Electric backrest with  
manual release  
CORBE



Knee gatch & Electric backrest  
and knee gatch, manual release  
CRORJ & CORJE



Patient's remote control  
COTLC



Vertical oxygen bottle holder  
CROSO2



Paper roll dispenser  
at the head-end  
CROSP



Chart holder below the  
headrest (incompatible with  
CROK7) CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU



Monitor tray at the foot-end  
CROPSC



High Comfort mattress  
MMM



Side rail padded  
cushions (pair)  
CROPB

REFERENCE	DESIGNATION
<b>TSE2C</b>	Permanent, foldable 3-stage «comfort» IV pole, 2 hooks
<b>TSE4C</b>	Permanent, foldable 3-stage «comfort» IV pole, 4 hooks
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>CROBPT</b>	Foldable push bars head-end
<b>CORBE</b>	Electric backrest with manual release
<b>CORJE</b>	Electric backrest and knee gatch, manual release
<b>COBBA</b>	Battery
<b>COTLC</b>	Patient's remote control
<b>CRORJ</b>	Knee gatch
<b>CRORT</b>	DIN rails
<b>ETU</b>	Fixation clamp for armrest (on technical rails, CRORT necessary)
<b>ETU-R</b>	Adjustable fixation clamp for armrest (on technical rails, (CRORT necessary)
<b>GT</b>	Anatomic shaped armrest (ETU-R necessary)
<b>CROSO2</b>	Vertical oxygen bottle holder
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest (incompatible with CROK7)
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CROPSC</b>	Monitor tray at the foot-end
<b>MMM</b>	High Comfort mattress, high quality foam (35kg/m3), 2cm thick viscoelastic layer (total height : 12cm)
<b>EQUI</b>	Equipotential connection
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal :  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU





## MOTORISED I-CARE EZ-GO AMBULATORY

I-CARE is a patient trolley with height adjustment on hydraulic columns.

Stable and robust, it is ideally designed to an intensive use.

Its features and its wide range of accessories make it especially suitable for Emergency, OR, PACU or ASC settings.

**Comfortable**

**Adaptable** many options available

**Easy to use,** motorised

**Versatile,** adapted to different hospital services




# I-CARE EZ-GO AMBULATORY

## I-CARE EZ-GO AMBULATORY DIMENSIONS

	LENGTH	WIDTH
OVERALL	216 cm	69/79/89 cm
VARIABLE HEIGHT	64-96 cm (including 10 cm thick mattress)	

**SAFE WORKING LOAD : 320 Kg**



**NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS**


Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.

### Motorized stretcher

- Motorized drive system with autonomous wheel
- Integrated battery. 15 km autonomy. Charge time: 5 hours. Lithium battery without memory effect
- Forward/Backward twist grip with progressive speed acceleration (foot-end)
- Push bars foot-end
- 2-sectional resin mattress base: 60 x 197 cm or 70 x 197 cm
- Radiolucent material
- Height adjustment range : from 64 to 96 cm (with 10 cm thick mattress)
- Trendelenburg / Anti-Trendelenburg 18°
- Two-sided + foot or head-end height adjustment and Trendelenburg / Anti-Trendelenburg adjustment
- Removable mattress made of high quality and resilience foam (35kg/m3), height : 10 cm
- Removable cover. PVC coated Jersey. Colour : grey
- 6 holders for IV pole
- Bumpers on all 4 corners
- Backrest adjustable by 2 gas springs (0 - 90°)
- Castors with central braking system Ø 200 mm at foot- and head-end
- 5th retractable and directional wheel (motorized wheel)
- Antistatic system
- Drop-down side rails. Anodized aluminium
- Frame cover (removable for easy cleaning and maintenance) including utility tray and O2 tank holder

6 holders for IV pole



Castors with central braking system  
Ø 200 mm at foot- and head-end



Forward/Backward twist grip with progressive speed acceleration (foot-end)



Push bars foot-end


Motorized drive system  
with autonomous wheel



Two-sided + foot or  
head-end height  
adjustment and  
Trendelenburg /  
Anti-Trendelenburg  
adjustment



## ACCESSORIES



TSR2, TSE2C, TSE4C



Foldable push bars head-end  
CROBPT




Electric backrest with  
manual release  
CORBE



Knee gatch & Electric backrest  
and knee gatch, manual release  
CRORJ & CORJE



Patient's remote control  
COTLC



Vertical oxygen bottle holder  
CROSO2



Paper roll dispenser  
at the head-end  
CROSP




Chart holder below the  
headrest (incompatible with  
CROK7) CRODOC



Attachment hooks for bags on  
both sides below the patient  
surface  
PSU



Monitor tray at the foot-end  
CROPSC



High Comfort mattress  
MMM



Side rail padded  
cushions (pair)  
CROPB

REFERENCE	DESIGNATION
<b>TSE2C</b>	Permanent, foldable 3-stage «comfort» IV pole, 2 hooks
<b>TSE4C</b>	Permanent, foldable 3-stage «comfort» IV pole, 4 hooks
<b>TSR2</b>	Removable IV pole, 2-stage, 2 hooks
<b>CROBPT</b>	Foldable push bars head-end
<b>CORBE</b>	Electric backrest with manual release
<b>CORJE</b>	Electric backrest and knee gatch, manual release
<b>COBBA</b>	Battery
<b>COTLC</b>	Patient's remote control
<b>CRORJ</b>	Knee gatch
<b>CROSO2</b>	Vertical oxygen bottle holder
<b>CROSP</b>	Paper roll dispenser at the head-end
<b>CRODOC</b>	Chart holder (for paperwork) below the headrest (incompatible with CROK7)
<b>PSU</b>	Attachment hooks for bags on both sides below the patient surface
<b>CROPSC</b>	Monitor tray at the foot-end
<b>MMM</b>	High Comfort mattress, high quality foam (35kg/m3), 2cm thick viscoelastic layer (total height : 12cm)
<b>EQUI</b>	Equipotential connection
<b>CRORT</b>	DIN rails
<b>ETU</b>	Fixation clamp for armrest (on technical rails, CRORT necessary)
<b>ETU-R</b>	Adjustable fixation clamp for armrest (on technical rails, (CRORT necessary)
<b>GT</b>	Anatomic shaped armrest (ETU-R necessary)
<b>CROPB</b>	Side rail padded cushions (pair)
<b>PRU</b>	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side



Universal Meal tray  
Extensible meal tray for side rails:  
from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal :  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU



## FIXED-HEIGHT STRETCHER TROLLEY PRELE

PRELE is a stretcher with fixed height.

Extremely light and easy to steer, it is intended for the patient transportation service.

Equipped with an assisted back-rest and with a directional blocking caster, PRELE establishes a basic item of the patient transfer which don't sacrifice at all the comfort of the nursing staff.

**Easy to use**

**Adaptable** many options available

**Versatile,** adapted to different hospital services



## PRELE DIMENSIONS

	LENGHT	WIDTH	HEIGHT
OVERALL	205 cm	69 cm	85 cm

**SAFE WORKING LOAD : 250 Kg**



**NON CONTRACTUAL PHOTOS - ACCESSORIZED PRODUCTS**

Combining lightness, robustness and intuitiveness, our STRETCHER TROLLEY range is suitable for patient transfer, emergencies and recovery room.

On request, many options allow a perfect match to your needs.


### Stretcher with fixed height

- 2-sectional resin mattress base: 60 x 190 cm
- Thermoformed ABS base
- Fixed height
- Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm
- Removable cover. PVC coated Jersey. Colour : grey
- 2 holders for IV pole
- Bumpers on all 4 corners
- Backrest adjustable by 2 gas springs (0 - 90°)
- 4 lockable castors Ø 150 mm
- 1 caster with directional lock
- Drop-down side rails, 2 horizontal bars. Anodized aluminium
- Push bars at the foot-end
- Basket for accessory

### 2 holders for IV pole



### Removable mattress made of high quality and resilience foam (35kg/m3), height : 8 cm



4 lockable castors Ø 150 mm




Drop-down side rails, 2 horizontal bars. Anodized aluminium



Bumpers on all 4 corners

# ACCESSORIES



Removable IV pole, 2-stage, 2 hooks  
TSR2



Foldable push bars foot-end  
BPP



Foldable push bars head-end  
BPT



Paper roll dispenser at the head-end  
CROSP





Chart holder (for paperwork) below the headrest  
CRODOC



Attachment hooks for bags on both sides below the patient surface  
PSU



Comfort mattress  
CEOMM



Vertical oxygen bottle holder  
CROSO2



Universal Meal tray  
Extensible meal tray for side rails: from 65 to 88 cm  
Fall protection side  
Compatible with standardized tray meal :  
GastroNorm – GN1/1 : 53 x 32.5 cm  
EuroNorm : 53 x 37 cm  
It fits with all width of products.  
Maximum load: 10Kg  
PRU

REFERENCE	DESIGNATION
TSR2	Removable IV pole, 2-stage, 2 hooks
BPP	Foldable push bars foot-end
BPT	Foldable push bars head-end
CROSP	Paper roll dispenser at the head-end
CRODOC	Chart holder (for paperwork) below the headrest
PSU	Attachment hooks for bags on both sides below the patient surface
CROSO2	Vertical oxygen bottle holder
PRU	Universal Meal tray Extensible meal tray for side rails: from 65 to 88 cm Fall protection side
CEOMM	Comfort mattress





